

L Number	Hits	Search Text	DB	Time stamp
1	1	5495604.pn. and scan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:10
6	0	("5974372" "5974256" "5495604").pn. and (scan SAME delim\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:24
7	1	("5974372" "5974256" "5495604").pn. and scan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:14
8	5890930	scan or code or text or read or deli\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:25
9	43666	(scan or code or text or read) same deli\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:26
10	1347	(scan or code or text or read) same deli\$4 and ((path or directory) with name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:28
11	638	(scan or code or text or read) same deli\$4 and ((path or directory) with name with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:30
12	30	(scan or code or text or read) same deli\$4 and (string with (path or directory) with name with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:55
13	253195	(scan or code or text) same method	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:55
14	5978	(scan or code or text) same method and delim\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:56
15	714	(scan or code or text) same method same delim\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:57
16	573	(scan or code or text) same method same delim\$5 and (within with delim\$4 with (path or dirctory) with name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:58
18	0	(scan or code or text) same method same delimiter and (within with delimiter with (path or dirctory) with name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:59
17	7	(scan or code or text) same method same delimiter and (within with delimiter with (path or dirctory) with name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:59

L Number	Hits	Search Text	DB	Time stamp
-	0	717/140.ccls. and scan\$5 with program and (text with string\$4) near delimit\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 11:14
-	1	717/140.ccls. and scan\$5 with program and (text with string\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 11:14
-	499	scan\$5 with program and (text with string\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 11:15
-	0	scan\$5 with program and (text with string\$4) near delimit\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 11:15
-	26	scan\$5 with program and (text with string\$4) SAME delimit\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 11:15
-	26	scan\$5 with program and (text with string\$4) SAME delimit\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 11:15
-	6	("5974372" "5495604" "5974256").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 13:35
-	0	(scan\$5 with code same delimi\$5) near string	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 13:36
-	0	(scan\$5 with code) same (delimi\$5) near string	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 13:37
-	2	scan\$5 with (program or code or object or model) same (delimi\$5) near string	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 13:41
-	3	(file with delimi\$5) near string	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 13:42
-	1324	file with delimi\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 13:42
-	0	file with delimi\$5 and (scan with program) and (hard adj code\$4 with string)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 13:43
-	43	file with delimi\$5 and (scan with program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 13:43

-	255	717/140.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 17:18
-	0	717/114-118.ccls. and 717/140-143	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 14:55
-	0	717/114-118.ccls. and 717/140-143.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 14:55
-	123	717/114-118.ccls. and 717/140-143.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 14:55
-	3	717/114-118.ccls. and 717/140-143.ccls. and (scan with code or program) same delimi\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:03
-	1491	(scan with code or program) same delimi\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:03
-	241	(scan with code or program) same (delimi\$5 with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:04
-	0	(scan with code or program) same (delimi\$5 with file) and (hard adj code\$4 with string)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:04
-	36	(scan with code or program) same (delimi\$5 with file) and (text with string)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:04
-	3	(scan with code or program) same (delimi\$5 with file) and (text with string) and (resource with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:05
-	1		USPAT	2004/01/28 15:08
-	1		USPAT	2004/01/28 15:08
-	1		USPAT; US-PGPUB	2004/01/28 15:09
-	1		USPAT; US-PGPUB	2004/01/28 15:12
-	1		USPAT; US-PGPUB	2004/01/28 15:13
-	1485	717/\$.ccls. and java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:19
-	213	717/\$.ccls. and java and (resource with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:20

-	18	717/\$.ccls. and java and (resource with file) and hard adj code\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:20
-	0	717/\$.ccls. and java and (resource with file) and hard adj code\$4 and delime\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:20
-	8	717/\$.ccls. and java and (resource with file) and hard adj code\$4 and delim\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:28
-	2	scan\$4 same program same delim\$4 near file	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:28
-	60	scan\$4 same program same delim\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:40
-	2	scan\$4 same program same delim\$4 and (path same name)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:59
-	307	file\$4 same delim\$4 and (path same name)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 15:59
-	105	file\$4 same delim\$4 and (identif\$4 same path same name)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:02
-	17	file\$4 same delim\$4 and (identif\$4 same path same name) and hard adj cod\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:22
-	0	read\$9 same delim\$4 same file\$4 and (identif\$4 same path same name) and hard adj cod\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:23
-	404	read\$9 same delim\$4 same file\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:23
-	96	java and read\$9 same delim\$4 same file\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:33
-	0	java and scan\$4 same program\$4 same detect\$4 same string\$4 near (delim\$4 same file\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:34
-	0	scan\$4 same program\$4 same detect\$4 same string\$4 near (delim\$4 same file\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:34

-	213	scan\$4 same program\$4 same detect\$4 same string\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:34
-	10	scan\$4 same program\$4 same detect\$4 same string\$4 and java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:40
-	1	scan\$4 same program\$4 same detect\$4 same string\$4 and java near delim\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:38
-	1994	delim\$4 with (quot\$4 or charact\$4 or ascii)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:41
-	103	delim\$4 with (quot\$4 or charact\$4 or ascii) and scan\$4 with program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:42
-	24	delim\$4 with (quot\$4 or charact\$4 or ascii) and scan\$4 with program and (delim\$4 with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:44
-	3	delim\$4 with type same (quot\$4 or charact\$4 or ascii) and scan\$4 with program and (delim\$4 with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:49
-	69	delim\$4 with file with type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 16:56
-	69	delim\$4 with file with type and delim\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 17:03
-	4	(delim\$4 with file with type) same (path or directory or folder) and delim\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 17:07
-	0	method with non adj extern\$4 with string\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 17:07
-	0	method same (non adj extern\$4) same string\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 17:09
-	0	delim\$4 with identy\$4 with (path or director\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 17:12
-	0	delim\$4 with identy\$4 SAME (path or director\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 17:12

-	0	delim\$4 with identy\$4 NEAR (path or director\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 17:12
-	20	717/140.ccls. and delim\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 17:55
-	17	program with (read or extract) with delim\$4 with file\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 17:46
-	0	717/140.ccls. and (string with hard adj cod\$4) same delim\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:07
-	123	read\$4 with file\$4 with delimi\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:08
-	1	read\$4 with file\$4 with delimi\$4 and hard adj code\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:08
-	83	read with file with delimi\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 09:07
-	18786	scan\$5 same (string or text)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 09:08
-	28	scan\$5 same (string or text) near delim\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 09:59
-	167093	(token or deli\$4) same (identify with path or direct\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 10:00
-	3288	(token or deli\$4) same (identi\$5 or verif\$4) with (path or direct\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 10:00
-	632	(token or delimiter\$3) same (identi\$5 or verif\$4) with (path or direct\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 10:01
-	219	(token or delimiter\$3) same (identify or verif\$4) with (path or direct\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 10:01
-	115	(token or delimiter\$3) same (identify or verif\$4) with (path or directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 10:01

-	106	(token or delimiter\$3) same (identify or verify) with (path or directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 10:01
-	0	(token or delimiter\$3) same (identify or verify) with (path or directory) near (string or text)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 10:02
-	54	(token or delimiter\$3) same (identify or verify) with (path or directory) and (string or text)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 11:37
-	23	(extrac\$4 with program) same delim\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 11:08
-	1257	(extrac\$4 with program) same (string or text)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 10:07
-	3	(extrac\$4 with program) same (string or text) near delim\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 10:07
-	3	(extrac\$4 or scan) with program same (string or text) near delim\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 10:07
-	1		USPÄT	2004/01/29 10:10
-	1		USPAT	2004/01/29 10:10
-	1		USPAT	2004/01/29 10:11
-	1		USPAT	2004/01/29 10:11
-	1		USPAT	2004/01/29 10:13
-	1		USPAT	2004/01/29 10:13
-	1		USPAT	2004/01/29 10:13
-	2341	(path or directory) same delim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 11:09
-	5	(path or directory) same delimiter	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 11:11
-	0	(path or directory) NEAR delimiter	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 11:11
-	191539	(determin\$4 or ident\$4) same (path or resource with file)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 11:12
-	252	(determin\$4 or ident\$4) same (path or resource with file) same delim\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 11:12
-	19	(determin\$4 or ident\$4) same (path or resource with file) NEAR delim\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 11:15

-	0	(string with extraction or scan\$4 with program) near delim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:15
-	21283	string with extraction or scan\$4 with program	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:16
-	1673	string with extraction or scan\$4 with program same delim\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:16
-	1654	string with extraction or scan\$4 with program same delim\$4 and resouce with file	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:16
-	1655	string with extraction or scan\$4 with program same delim\$4 and resource with file	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:16
-	1654	string with extraction or scan\$4 with program same delim\$4 and resource with file and hard adj code\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:17
-	1654	string with extraction or scan\$4 with program same delim\$4 and resource with file and hard adj code\$4 and 717/\$.ccls.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:17
-	0	(string with extraction or scan\$4 with program) same delim\$4 and (resource with file) and hard adj code\$4 and 717/\$.ccls.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:18
-	0	(string with extraction or scan\$4 with program) same delim\$4 and (resource with file) and hard adj code\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:18
-	1681	(scan\$4 with text or string) same delim\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:19
-	100	(scan\$4 with text or string) same delim\$4 and 717/\$.ccls.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:19
-	2	6120552.pn.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:37
-	0	6120552.pn. and path	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:37
-	0	("6275978" "6120552").pn. and path	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:38

-	0	("6275978" "6120552" "5414841" "5544048" "6076084").pn. and path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:39
-	0	("6275978" "6120552" "5414841" "5544048" "6076084").pn. and (path or url)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 12:05
-	1468724	path or url	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:39
-	1452775	path or url and (resource with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:40
-	2752	(path or url) same (resource with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:40
-	5	(path or url) NEAR (resource with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:43
-	4	identif\$4 and (path or url) NEAR (resource with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:46
-	14	scan\$4 with line adj by line with code with string with delim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:58
-	0	(scan with java with code same line adj by adj line) near strin near delim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 11:59
-	0	(scan with java with code) same (line adj by adj line) near strin near delim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 12:00
-	0	(scan with java with code) same (line adj by adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 12:00
-	8	(scan with java with code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 12:00
-	3	("6275978" "6120552" "5414841" "5544048" "6076084").pn. and scan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 09:08
-	1	("6275978" "6120552" "5414841" "5544048" "6076084").pn. and scan with code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 13:26

-	8	scan with java with code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 12:10
-	0	(scan with java with code) same delim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 12:10
-	0	(scan\$4 with java with cod\$4) same delim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 12:11
-	0	(scan\$4 with java with cod\$4) NEAR delim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 12:11
-	10	706/\$.ccls. and 707/\$.ccls. and (string same delim\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 13:29
-	10	706/\$.ccls. and 707/\$.ccls. and (string same delim\$4) and delim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 13:57
-	7	706/\$.ccls. and 707/\$.ccls. and (string same delim\$4) and delim\$4 and path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 14:27
-	521	delim\$4 and (path with name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 14:27
-	286	delim\$4 and (path with name) same file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 15:02
-	1017	scan with file same (path or direc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 15:02
-	1	scan with file same (path or direc\$5) and (delim\$4 near ident\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 15:03
-	77	scan with file same (path or direc\$5) and delim\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 15:43
-	96	data adj base same delim\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 15:43
-	37	data adj base same delim\$ and (path or directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 16:17

-	92	(path or directory) with name near determine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 16:18
-	128	(determi\$4 with (path\$4 or directo\$4 or location\$4)) with delimi\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 16:55
-	0	(determi\$4 with (path\$4 or directo\$4 or location\$4)) with delimi\$4 with (file with name)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 16:55
-	6	(determi\$4 with (path\$4 or directo\$4 or location\$4)) with delimi\$4 with (file OR name)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 16:56
-	77	(determi\$4 with (path\$4 or directo\$4 or location\$4)) with delimi\$4 and fil\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 17:01
-	14	(determi\$4 with (path\$4 or directo\$4 or location\$4)) with within with delimi\$4 and fil\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 17:04
-	25	(determi\$4 with (path\$4 or directo\$4 or location\$4)) with within with delimi\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 17:10
-	252	(path\$4 or directo\$4 or location\$4) with within with delimi\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 17:10
-	252	(path\$4 or directo\$4 or location\$4) with within with delimi\$4 with delimi\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 17:42
-	48	scan\$4 with code with delimi\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/29 17:42